





GardiPool Range of Elite Wooden Pools


The GardiPool wooden pools are available with various configurations and also in 7 sizes in 3 heights (1.2m, 1.33m and 1.46m) are available in the Gardipool range The basic structure is made from autoclaved pinewood planks 45mm wide.

The borders and the wooden stairs are available in either treated pinewood or tropical hardwood.

QUARTOO








RECTOO

RECTOO 3.90 x 7.60

height: 133 cm

pump : flow rate 12 m³/h



OBLONG

OBLONG 3.90 x 6.20

height: 120, 133 en 146 cm pump : flow rate 8 m^3/h



<u>OCTOO</u>

OCTOO 4.20

height: 120 en 133 cm pump : flow rate 6 m³/h




OCTOO 5.00

height: 120 en 133 cm pump : flow rate 8 m³/h




Above ground installation






Semi-inground installation





Inground installation





A standard Gardipool kit consists of :





Wooden frame (45mm) in treated, grade 4 red Pinewood All fittings in stainless steel



One-piece wooden border in treated red pinewood



Anti-bacterial felt



75/°° light blue liner



Wooden external stairs in treated red pinewood



Stainless steel internal stairs



Sand filter including all accessories (hoses, connectors, sand)



Cleaning kit (brush, vacuum cleaner, thermometer, hoses, telescopic rod, scoop) Start-up maintenance kit



Galvanised metal supports for rectangular models



