MATERIAL SAFETY DATA SHEET According to 91/155 EEC



Printed on: 17/08/2007

1. Identification of th	e substance/prepa	aration and of	the company/undertak	ing
Trade Name:		Granula	ar Shock, Calcium Hypoc	hlorite Granules
• Other names		Calciun	n Hypochlorite	
 Intended use of chemical 		Pool ar	d spa shock/water saniti	ser.
• Manufacturer/Supplier		Comple Orchar	ete Pool Controls Ltd, Un d, Bishops Cleeve, Gloud	it 2, The Park, Stoke æstershire, GL52 7RS.
		Tel: Fax:	+44 (0) 8712 22908 +44 (0) 8712 229083	1 3
2. Composition/infor	mation on ingredi	ents		
 CAS No. Descriptio EINECS Number: EU Number: 	'n	7778-5- 231-90- 017-01:	4-3 Calcium Hypochlorite 3-7 2-00-7	
3. Hazard Identificati	on			
	C: Corrosive	O: Oxic	lising	, N: Dangerous for the environment
 Hazard Information 	concerning partie	cular hazards	for human and the env	ironment
	R 8 R 31	Contac	t with combustible materi	al may cause fire.
	R 34	Causes	burns.	gus.
	R41 R 50	Risk of Very to	serious damage to eyes xic to aquatic organisms	
4 First Aid mossure				
General Advice:	Show this safety d lie down.	lata sheet to th	e doctor in attendance. F	Remove from exposure,
• After inhalation:	Move to fresh air. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume the most comfortable position and keep warm. Keep at rest until fully recovered. If breathing is laboured and patient cyanotic (blue), ensure airways are clear and have qualified person give oxygen through a facemask. if breathing has stopped apply artificial respiration at once. In event of cardiac arrest, apply external cardiac massage. Seek medical advice.			
After skin contact:	Immediately wash with plenty of water. Remove contaminated clothing and wash before re-use. If swelling, redness, blistering or irritation occurs seek medical advice. For skin burns immediately flood burnt area with plenty of water and cover with a clean dry dressing. Seek immediate medical advice.			
After eye contact:	Rinse opened eye for at least minutes under running water. Keep eye wide open while rinsing. Remove clothing if contaminated and wash skin. Urgently seek medical attention. Transport to hospital or medical centre.			
After Ingestion:	Remove from exposure, lie down. Call for a doctor immediately. Do not induce vomiting. If victim is conscious give plenty of water.			
Note to Physician:	Inhalation of vapours high in concentration may cause shortness of breath (lung oedema). Symptoms may be delayed			

Г

٦

٦

Trade Name: Granular Shock

5. Fire fighting measures	
 Special extinguishing media: 	Water spray or for (large quantites necessary)
 Special exposure hazards in fire: 	Powerful oxidising agent. Decomposes in contact with water evolving toxic chlorine gas.
 Special protective equipment: 	Wear self-contained breathing apparatus and full protective clothing to prevent contact with skin and eyes.

6. Accidental release Measures	
Personal Protection	Wear protective equipment. Keep unprotected persons away.
• Methods for cleaning:	Sweep up, avoiding generation of dust , then immediately spread as a thin layer in an uncontaminated, dry open area, to avoid the possibility of hot spots forming. Gradually hose to drain ensuring large dilution. DO NOT store or transport swept up material. DO NOT return spilled material to original container. Do not add dmall amount of water to material. Where a spill has occured in a confined space or an unventilated building and the material is damp and evolving chlorine, the rate of chlorine evolution can be reduced by covering the thinly spread solid with soda ash. For large spills notify Emergency Services.

7. Handling and storage	
• Storage	Store in dry cool place, and out of direct sunlight. Store away from combustable materials, foodstuffs, and source of heat. Keep dry, reacts with water; may lead to drum rupture. Keep containers closed at all times - check regularly for spills. Ensure that pallets are clean and free from oil. DO NOT return spilled material to original container.

8. Exposure control/personal prot	tection	
 Exposure control limits and source: 	No exposure limit established	
 Respiratory Protection 	Where dust emissions are possible, respiratory protection must be used.	
 Hand Protection 	Wear suitable chemical resistant gloves	
Eye Protection	Wear appropriate safety goggles	
 Skin Protection 	Avoid prolonged contact with skin by wearing appropriate clothing.	

Trade Name: Granular Shock

9. Physical and chemical properties		
 Appearance at 20oC 	White Powder	
• Odour	Chlorinous	
 Specific gravity at 20oC 	2.1 g/cm ³	
• pH (conc)	11.5	
Melting Point	100°C	
 Flammability (solid, gaseous) 	Contact with combustible material may cause fire.	
 Flash Point 	Not applicable.	
Decomposition temperature	180°C	
 Solubility in water 	217 g/l	

10. Stability and reactivit	y
• Stability:	Oxidising agent. Will react with organic materials. Can readily ignite combustible materials. Decomposition can be rapid and violent upon contacy with incompatable materials and on heating. Decomposes in water evolving chlorine gas. Corrosive to most metals in the presence of moisture.

11. Toxilogical Information	
• Ingestion	Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach. Large doses may be fatal.
• Skin	Contact with skin will result in severe irritation. Corrosive to skin - may cause skin burns.
• Eyes	A severe eye irritant. Contamination of the eyes can result in permanent injury. Corrosive to eyes; contact can cause corneal burns.
• Inhalation	Dusts and chlorine (decomposition product) are corrosive to the respiratory tract Confusion, pulmonary odema and collapse can result. Chlorine, evolved from decomposition when wet, is a severe respiratory irritant, corrosive and highly toxic. Delayed effects can include shortness of breath, headache, pulmonary oedema and pneumonia.
• Toxicity	7778-54-3 calcium hypochlorite Oral LD50 850 mg/kg (rat)

ſ

Trade Name: Granular Shock

12. Ecological Information	
• Mobility	Very toxic for fish
 Persistence and degradability 	Do not allow product to reach ground water, water course or sewage system, even in small quantities.

13. Disposal Considerations	
Substance	Must not be disposed together with household garbage. Wash to drain with large quantities of water.
• Container	Disposal must be made according to official regulations

14. Transport Information			
• U N No	UN2880		
 Proper shipping name 	Calcium Hypochlorite hydr	rated	
Class/division	5.1 Oxidising Agent	8	
 Packing group 	II		
 Hazard I D No 	50		
• EAC	2		
Pollutant	May be considered a marir	May be considered a marine pollutant	

15. Regulatory information		
 Product Name 	Calcium H	ypochlorite
	o .	
• Symbol	Corrosive, Oxidising,	
- Indiantiana of danger		
 Indications of danger 		
 Risk phrases 	R 8	Contact with combustible material may cause fire.
	R 22	Harmful if swallowed.
	R 31	Contact with acids liberates toxic das
	D 24	Course hume
	N 34	Causes buills.
 Safety phrases 	S1/2	Keep locked up and out of the reach of children
	01/2	In case of contact with eves rinse immediately with
	000	nin case of contact with cycs, finise infinediately with
	520	pienty of water and seek medical advice.
		wear suitable protective clothing, gloves and eye/face
	S36/37/39	protection.
		In case of accident or if you feel unwell, seek medical
	S45	advice immediately (show the label where possible).
		Avoid release to the environment. Refer to special
	S61	instructions/safety data shoets
	301	Instructions/salety uata sileets

Trade Name: Granular Shock

16. Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

